SUBJECT AND DRUG INDEXES TO ADVERSE DRUG REACTION BULLETIN

Nos. 200–205 February 2000–December 2000

SUBJECT INDEX

abdominal pain, 768, 783
acute presentation of adverse drug reactions, 779–782
adverse drug reactions to newer antidepressants, 763–766
adverse effects of drugs on the development of ischaemic heart disease, 775–778
adverse reactions of drugs used to treat arrhythmia, 767–770
agitation, 763, 764, 773
agranulocytosis, 765
akathisia, 764
anaemia, haemolytic, 768
anaphylaxis, 768, 781
angioedema, 780
anxiety, 763, 764, 765, 773
appetite increased, 765
arteritis, 773
arthralgia, 783
atrial fibrillation, 769
atrial flutter, 768

Behçet's syndrome, 783
bigeminy, 768
bradycardia, 768–769
bronchospasm, 769, 781

cardiovascular toxicity, 764
catatonia, 781
central nervous system depression, 764
cerebral
  haemorrhage, 772
  infarction, 773
cerebrospinal fluid, 783–785
cholestasis, 769
cinchonism, 768
cirrhosis, 769
claudication, 769
confusion, 764, 768, 769, 781, 784
constipation, 765, 768
Crohn's disease, 784
cystitis, haemorrhagic, 781
cytochrome p450
  2D6, 764
  3A4, 764, 765

dehydration, 773
delirium, 768
depression, 763, 765, 769
diarrhoea, 765, 768, 780
dizziness, 763, 764, 768
drowsiness, 763, 765
drug abuse, 771
drug induced stroke, 771–774
drug interaction
  alprazolam, 764
  amiodarone, 769
  astemizole, 764
  ciclosporin, 764
  cimetidine, 763
  cisapride, 764
  digoxin, 769
  ketoconazole, 765
  labetaol, 769
  metoclopramide, 763
  metoprolol, 769
  nefazodone, 764
  pethidine, 764
  procainamide, 769
  propranolol, 769
  quinidine, 769
  terfenadine, 764
  triazolam, 764
drug-induced aseptic meningitis, 783–786
dry mouth, 763, 764, 765, 768
dysaesthesia, 768
dysarthria, 768
dyslipidaemia, 776
dystonia, 781

epilepsy, 781
extra-pyramidal disorder, 781

fever, 765, 768, 781, 783, 785
flushing, 769

gastrointestinal
  bleeding, 780
  perforation, 780
glaucoma, 768

hallucinations, 769

headache, 764, 765, 783, 785
heart block, 768, 769
heart failure, 768, 769, 779, 780
hemiplegia, 773
hepatic failure, 769, 780
hepatotoxicity, 768
homocysteine, 776
hyperlipidaemia, 776
hypertension, 763, 764, 765, 772, 773, 775, 776
hyperthermia, 764
  malignant, 781
hyperthyroidism, 769
hypoglycaemia, 769, 773, 781
hypotension, 765, 768, 769, 773, 777, 781, 784
  postural, 765
hypothyroidism, 769

insomnia, 764, 765
ischaemic heart disease, 775–777

Jevell-Lange-Nielson syndrome, 767

lethargy, 769, 784
leukopenia, 768
lipodystrophy, 776
liver function abnormalities, 784

Mollaret's meningitis, 783
myalgia, 783
myocardial infarction, 768, 772, 775–777, 779
myoclonus, 764

nausea, 763, 764, 765, 768, 769, 783, 785
nephritis, interstitial, 781
nephrotoxicity, 781
neuroleptic malignant syndrome, 781
neutropenia, 765

palpitation, 769
pancreatitis, 784
parotitis, 784
pericarditis, 784
photophobia, 783
photosensitivity, 769
pneumonitis, interstitial, 769
priapism, 764
proarrhythmia, 767
pruritus, 784
pseudomembranous colitis, 780
psychosis, 768

QT interval, lengthened, 767, 769

rash, 768, 783
reflux, oesophageal, 768
renal dysfunction, 781
Romano-Ward syndrome, 767

sedation, 765
seizure, 764, 768, 781, 784
serotonin syndrome, 764
serum sickness, 780
sexual dysfunction, 764, 769
Sjögren's syndrome, 784
sleep disturbance, 763, 769
somnolence, 764
Stevens-Johnson syndrome, 780, 781
stroke
  haemorrhagic, 771–772
  ischaemic, 771–773
subarachnoid haemorrhage, 772, 773
sweating, 763, 765
systemic lupus erythematosus, 783–784, 786

tachycardia, 765, 768, 769, 772
taste disturbance, 768
thrombocytopenia, 764, 768
tinnitus, 768
torsade de pointes, 767, 780
toxic epidermal necrolysis, 780, 781
tremor, 763, 781

urinary
  hesitancy, 765
  retention, 768
uveitis, 784

vasculitis, 772, 773, 780
ventricular
  fibrillation, 767, 769
  tachycardia, 767, 768, 769
vision, blurred, 763
visual disturbance, 764, 768, 769, 784
Vogt-Koyanagi-Harada syndrome, 783
vomiting, 765, 768, 769, 783, 785

weight gain, 765
withdrawal reaction, 764
Wolf-Parkinson-White syndrome, 769

xanthopsia, 769

DRUGS INDEX

A capital letter indicates a proprietary name, chemical name, or abbreviation.

ε-amino-caproic acid, 773
α-tocopherol, 776

3,4-methylene dioxymethamphetamine (ecstacy), 771–773

acebutolol, 776
adenosine, 769
albumin, 785
allopurinol, 772, 773, 781
amiodarone, 767, 768, 769, 780
amoxicillin, 784
amphetamines, 772
ascorbic acid, 776
asparaginase, 772, 776
atorvastatin, 777
azathioprine, 785

baclofen, 785
bambuterol, 777
bendrofluazide, 776
bisoprolol, 768

cannabis, 772, 773
captopril, 772, 773
carbamazepine, 776, 780, 781, 785
carvedilol, 768
cefalexin, 784
cefazolin, 784
ceftazidime, 784
chlorthalidone, 776
ciclosporin, 776, 780
ciprofloxacin, 773, 784
clenbuterol, 777
clomipramine, 764, 775
co-amoxiclav, 780
cocaine, 771–772, 777, 780, 781
codeine, 785
corticosteroids, 776, 780, 785
co-trimoxazole, 781, 784
cyclophosphamide, 780, 781
cytarabine, 785

danazol, 772, 773
dapsone, 780
deoxycoformycin, 772, 773
desmopressin, 772
diamorphine, 772–773
diclofenac, 784
digoxin, 769
diltiazem, 768, 769
disopyramide, 768
doxapram, 781

ephedrine, 772
erythropoietin, 775

fenfluramine, 772
fenofibrate, 776
flecainide, 768
flutamide, 780

gadolinium diethylenediaminopenta-acetic acid, 785
gentamicin, 784

halothane, 780, 781
hormone replacement therapy, 773
hydrocortisone sodium succinate, 785

ibuprofen, 780, 784, 786
imipramine, 764, 765, 775, 780
indinavir, 776, 785
^{111}indium diethylene diaminopenta-acetic acid, 785
insulin, 773, 776, 781
interferon a, 780
intravenous immunoglobulin, 773, 785
iophendylate, 785
isoniazid, 780, 784

ketoconazole, 765, 780
ketoprofen, 784

labetalol, 768, 780
levamisole, 785
lignocaine (lidocaine), 768, 781
lisinopril, 780
lithium, 764
lysergic acid diethylamine, 772, 773

methamphetamine, 772
methotrexate, 776, 785
metoprolol, 768
metrizamide, 783, 785
metronidazole, 784
mirtazapine, 764–765

moclobemide, 763, 764
moricizine, 768

naproxen, 775, 784
nedocromil, 777
nefazodone, 764
nicotine, 779
nifedipine, 772, 773, 779
non-steroidal anti-inflammatory drugs (NSAIDs), 775, 780, 781, 784

oestrogen, 773
ofloxacin, 780
oral contraceptives, 771, 772, 773, 776
orlistat, 776

paclitaxel, 780
paracetamol (acetaminophen), 785
penicillamine, 781
penicillin, 781, 784
phenazopyridine, 785
phencyclidine, 772–773
phenobarbital, 781
phentermine, 772
phenyleprine, 775
phenylpropanolamine, 772, 775
phenytoin, 776, 780, 781
piroxicam, 775, 780, 781
prazosin, 773
prednisolone, 776
procainamide, 768, 769
propafenone, 768
propranolol, 768, 776
propylthiouracil, 780

pyrazinamide, 785

quinidine, 768, 769

ranitidine, 785
reboxetine, 765
rifampicin, 781
ritonavir, 776
rofecoxib, 780

salmeterol, 777
sildenafil, 777
sodium bicarbonate, 780
sodium valproate, 780
sotalol, 768
sulfasalazine, 781, 785
sulindac, 784
sumatriptan, 772, 773, 779

tacrolimus, 776, 780
theophylline, 776
tiaprofenic acid, 781
tolmetin, 784
tranexamic acid, 773
trimethoprim, 776, 784

vaccines
  diphtheria, tetanus and pertussis (DTP), 785
  hepatitis B, 785
  measles, mumps and rubella (MMR), 785
  mumps, 785
  rubella, 785
venlafaxine, 764
verapamil, 768, 769